

**Neem Seed Kernel (TRITERPENOIDS)
Based EC containing Azadirachtin 0.15% w/w min.
Insecticide**

Neem oil based antifeedent/pest repellent preparation has been prepared to control aphids and bollworm of cotton and stem borer and Leaf folder or rice.

Recommendations :

Crops Disease	Dosage per Hectare	Waiting period from last spray
	Formula-	Water to harvest
	(a.i) tion	(Days)

Cotton White fly	-	2.5	500-1005
Bollworm	-	2.5	500-1005
Rice Thrips, Leaf folder, Stem borer	-	1.5-2.5	500 5
Brown plant Hopper			

Direction of use : Knapsack sprayer, foot sprayer, compression knapsack sprayer, Compression knapsack battery sprayer, Battery operated power sprayer.
Precaution : 1. Avoid

Symptoms of Poisoning : The early symptoms may be any combination of headache, giddiness, vertigo, nausea, vomiting, blurred vision, sweating excessive lacrimation and salivation.

First Aid : 1. Gastric lavage with 5% sodium bicarbonate may be given if swallowed. 2. Wash contaminated skin and irrigate eyes with normal saline.

Antidote : Treat symptomatically.

Disposal Of Used Container: 1. The empty containers/packages shall be broken and buried away from habitation. 2. The used containers/packages shall not be left outside to prevent re-use. 3. Packages or surplus material and washings should be disposed of in safe manner so as to prevent environment or water pollution.

Storage: 1. The packages containing the insecticides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept separate almira under lock and key, depending on the quantity and nature of the insecticide. 2. The rooms are premises meant for storage insecticide shall be well built well-ventilated and well lit and of sufficient dimensions to avoid contamination with vapour.

Chemical Composition :

Neem Kernel extract in solvent methanated	60.00%	w/w
containing min 0.15% Azadirachtin		
Emulsifier (Polysorbate 20)	5.00%	w/w
Treated Neem Oil	35.00%	w/w
Total	10.00%	w/w

CAUTION : "NOT TO BE USED ON CROPS OTHER THAN SPECIFIED ON THIS LABEL/LEAFLET".

नीम बीज गुद्दा ट्राइटरपीनोइडस पर आधारित ई.सी.

जिसमें एजाडायरेक्टिन ०.१५% ई.सी. न्यूनतम - कीटनाशक
एह एक नीम बीज गुद्दा पर आधारित खाद्य प्रतिवर्धक है जो कापास और
अनाई कीटों को नियंत्रित करने के लिए उपयोग किया जाता है।

Crops Disease	Dosage per Hectare	Waiting period from last spray
	Formula-	Water to harvest
	(a.i) tion	(Days)

Cotton White fly	-	2.5	500-1005
Bollworm	-	2.5	500-1005
Rice Thrips, Leaf folder, Stem borer	-	1.5-2.5	500 5
Brown plant Hopper			

Direction of use : Knapsack sprayer, foot sprayer, compression knapsack sprayer, Compression knapsack battery sprayer, Battery operated power sprayer.
Precaution : 1. Avoid

Symptoms of Poisoning : The early symptoms may be any combination of headache, giddiness, vertigo, nausea, vomiting, blurred vision, sweating excessive lacrimation and salivation.

First Aid : 1. Gastric lavage with 5% sodium bicarbonate may be given if swallowed. 2. Wash contaminated skin and irrigate eyes with normal saline.

Antidote : Treat symptomatically.

Disposal Of Used Container: 1. The empty containers/packages shall be broken and buried away from habitation. 2. The used containers/packages shall not be left outside to prevent re-use. 3. Packages or surplus material and washings should be disposed of in safe manner so as to prevent environment or water pollution.

Storage: 1. The packages containing the insecticides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept separate almira under lock and key, depending on the quantity and nature of the insecticide. 2. The rooms are premises meant for storage insecticide shall be well built well-ventilated and well lit and of sufficient dimensions to avoid contamination with vapour.

Chemical Composition :

Neem Kernel extract in solvent methanated	60.00%	w/w
containing min 0.15% Azadirachtin		
Emulsifier (Polysorbate 20)	5.00%	w/w
Treated Neem Oil	35.00%	w/w
Total	10.00%	w/w

CAUTION : "NOT TO BE USED ON CROPS OTHER THAN SPECIFIED ON THIS LABEL/LEAFLET".

नीम सीड कर्नल (ट्राइटरपीनोइड्स) अजाडिरैक्टिन 0.15% व/व

जिसमें एजाडायरेक्टिन ०.१५% ई.सी. न्यूनतम - कीटनाशक
एह एक नीम बीज गुद्दा पर आधारित खाद्य प्रतिवर्धक है जो कापास और
अनाई कीटों को नियंत्रित करने के लिए उपयोग किया जाता है।

Crops Disease	Dosage per Hectare	Waiting period from last spray
	Formula-	Water to harvest
	(a.i) tion	(Days)

Cotton White fly	-	2.5	500-1005
Bollworm	-	2.5	500-1005
Rice Thrips, Leaf folder, Stem borer	-	1.5-2.5	500 5
Brown plant Hopper			

Direction of use : Knapsack sprayer, foot sprayer, compression knapsack sprayer, Compression knapsack battery sprayer, Battery operated power sprayer.
Precaution : 1. Avoid

Symptoms of Poisoning : The early symptoms may be any combination of headache, giddiness, vertigo, nausea, vomiting, blurred vision, sweating excessive lacrimation and salivation.

First Aid : 1. Gastric lavage with 5% sodium bicarbonate may be given if swallowed. 2. Wash contaminated skin and irrigate eyes with normal saline.

Antidote : Treat symptomatically.

Disposal Of Used Container: 1. The empty containers/packages shall be broken and buried away from habitation. 2. The used containers/packages shall not be left outside to prevent re-use. 3. Packages or surplus material and washings should be disposed of in safe manner so as to prevent environment or water pollution.

Storage: 1. The packages containing the insecticides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept separate almira under lock and key, depending on the quantity and nature of the insecticide. 2. The rooms are premises meant for storage insecticide shall be well built well-ventilated and well lit and of sufficient dimensions to avoid contamination with vapour.

Chemical Composition :

Neem Kernel extract in solvent methanated	60.00%	w/w
containing min 0.15% Azadirachtin		
Emulsifier (Polysorbate 20)	5.00%	w/w
Treated Neem Oil	35.00%	w/w
Total	10.00%	w/w

CAUTION : "NOT TO BE USED ON CROPS OTHER THAN SPECIFIED ON THIS LABEL/LEAFLET".



AZONEEM-1500
Neem Seed Kernel (TRITERPENOIDS) Base EC
containing Azadirachtin 0.15% w/w min.
Insecticide

अजोनीम-1500
नीम सीड कर्नल (ट्राइटरपीनोइड्स)
अजाडिरैक्टिन 0.15% व/व नीम कनिष्ठ
कीटकनाशक

अजोनीम-१५००
नीम बीज गुद्दा ट्राइटरपीनोइडस पर आधारित ई.सी.
जिसमें एजाडायरेक्टिन ०.१५% ई.सी. न्यूनतम
कीटनाशक

Caution : "Not To Be Used On Crops Other Than Specified On This Label/leaflet".



KEEP OUT OF THE REACH OF CHILDREN
बच्चों से दूर रखिए।
मक्कुलीगं सिगदंते दमरविदि.



READ THE ENTIRE LABEL AND LEAFLET BEFORE USE
अपयोगीकरण के लिए लेबल और फ्लैटलेट को ध्यान से पढ़ें।
इस्तेमाल करने से पहले सारी चर्चा पूरी तरह पढ़िये।

Manufactured & Marketed by :
RACCOLTO AGRITECH INDIA PRIVATE LIMITED
13, Maniba Estate, B/H, Kanchan Pharma, Aslali Bypass Road,
Aslali-382 427, Dist. Ahmadabad, Gujarat-382 427..
Manufacturer Premises : Shed No 7/1, Ghanshyam Industrial Estate,
Sanand- Viramgam Highway, Iyava- Vasana, Sanand -382110, Gujarat
Customer Care No. : 8200006100.
E-mail:contact@raccolto.in
Mfg. Lic. No. : GJ-KHE-01119., dt. 07/07/2021

Reg.No.:CIR-180986/2021-Neem Seed Kernel Based EC (containing AZADIRACHTIN) (427)-2308

For Agriculture use only.

