

Leaflet Details

CIR-305524/2023-Dodine (WP) (446)-85
Dodine 65% WP
(Contact Fungicide)

It is a contact fungicide containing Dodine 65% active ingredient.

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water (lit)	Waiting Period between last spray to harvest (in days)	Re-entry after each Application (In Hours)
		AI (%)	Formulation (%)			
Apple	Scab	0.05	0.075	10	21	

Direction Of Use

Equipment used in application : Knapsack sprayer, foot sprayer, compression knapsack sprayer, battery sprayer and ASPEE-HTP sprayer with flat fan / flood jet nozzle.

Time of Application

Precautions

1. Keep away from foodstuffs, empty foodstuff containers and animals food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation the spray mist. Spray in the direction of wind.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective clothing while mixing and spraying.

Symptoms Of Poisoning

Irritation of gastro intestinal tract with muscle twitching and gastro oesophagus spasms and diarrhoea, eczema caused by photo sensitisation

First Aid

1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious.
2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water.
3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes.
4. If inhaled, remove the patient to fresh air.

Phytotoxicity

The product is not phytotoxic when used as per field recommendation.

Antidote

No specific antidote is known. Treat symptomatically

Disposal Of Used Container

- 1 It shall be the duty of manufactures formulators and operator to dispose packages or surplus materials and washings from the machine and container shall be disposed off in a safe manner so as to prevent environmental and water. pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. Packages shall be broken and burried away from habitation.

Storage Conditions

1. The packages containing the acaricide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of or shall be kept in separate almirahs under lock and key depend upon the quantity and nature of the acaricide
2. The rooms or premises meant for storing the acaricide shall be well built, dry, well-lit and ventialed and of sufficient dimensions to avoid contamination with vapour

Chemical Composition

S.No	Ingredient	Description	Weight
1	Dodine tech: based on 98% w/w a.i.		65.50 % w/w
2	Suspending agent: Colloidal silica		5.00 % w/w
3	Wetting agent: Alkyl Aryl Sulphonate type		5.00 % w/w
4	Kaolin		24.50 % w/w
Total			100 % w/w

Manufactured By

M/s RACCOLTO AGRITECH INDIA PRIVATE LIMITED

13, Maniba Estate, B/H Kanchan Pharma, Aslali Bypass Road, Aslali

Manufacturer Premises Address

Shed No 7/1, Ghanshyam Industrial Estate, Sanan- Viramgam Highway, Iyava- Vasana, Sanand -382110, Gujarat.

पत्रक विवरण

CIR-305524/2023-Dodine (WP) (446)-85
डोडिन 65 प्रतिशत डब्ल्यू पी (घुलनशील पाउडर)
(स्पर्शीय फफूंदनाशक)

यह एक स्पर्शीय फफूंदनाशक है जिसमें डोडिन 65 प्रतिशत सक्रिय तत्व है।

उपयोग

फसल	कीट के नाम	प्रति हैक्टेयर मात्रा		पानी की मात्रा (ली.)	अन्तिम छिड़काव तथा फसल काटने के बीच अन्तराल (दिनों में)	पुनः प्रवेश की अवधि प्रत्येक छिड़काव के बाद (घंटे)
		स. तत्व (%)	संरचना (%)			
सेब	पामा	0.05	0.075	10	21	

उपयोग के लिए दिशा-निर्देश

उपयोग में आने वाले यंत्र : पीठ पर लादने वाले यंत्र, छिड़काव यंत्र, दबावदार पीठ पर लादने वाला छिड़काव यंत्र, दबावदार पीठ पर लादने वाला बैटरी चालित छिड़काव यंत्र और ए.एस.पी.ई.ई - एच.टी.पी शक्ति चालित छिड़काव यंत्र, फ्लैट फेन और फ्लड जैट नोजल के साथ।

प्रयोग का समय

प्रयोगकर्ताओं के लिए सावधानियां

- खाधसामग्री, खाध सामग्री के खाली बर्तन और पशुओं के चारे से दूर रखें।
- मुंह, त्वचा और आंखों के सम्पर्क से बचायें।
- छिड़काव की वाष्प को सांस द्वारा अन्दर जाने से बचायें। हवा की दिशा में छिड़काव करें।
- छिड़काव के बाद दूषित कपड़ों और शरीर के अंगों को अच्छी तरह धोएं।
- छिड़काव के समय धूम्रपान, खाना, पीना और कुछ चबाना नहीं चाहिए।
- छिड़काव करते या मिलाते समय पूर्ण सुरक्षात्मक कपड़े पहनें।

विष के लक्षण

आमाशय पथ 'गैस्ट्रो इन्स्टेस्टाइनल ट्रेक्ट' का फड़कना, खुजलाहट तथा मांस पेशियों में ऐठन, तकलीफ, एवं खजीमा जो

प्रकाश सुग्राही के कारण होता है।

प्राथमिक चिकित्सा

1. यदि निगल जाये तो गले के पीछे गुदगुदी करके उल्टी कराये यह क्रिया तब तक दोहराते रहे जब तक उल्टी द्वारा निकला पदार्थ साफ न हो जाए। यदि मरीज बेहोश हो तो उल्टी न कराये।
2. यदि कपडे और त्वचा दूषित हो जाए तो दूषित कपडे उतार दें और त्वचा को काफी मात्रा में साबुन और पानी से धोएं।
3. यदि आंखे दूषित हो जाये तो उनको काफी मात्रा में सैलाइन/साफ पानी से लगभग 10-15 मिनट तक धोएं।
4. यदि सांस द्वारा अन्दर गया हो तो रोगी को शुद्ध हवा में ले जायें।

पौधविशाक्तता

सुझाव की मात्रा के अनुसार प्रयोग करने पर यह कीटनाशक पौधविशाक्त नहीं हैं ।

विष नाशक

कोइ विशिष्ट विषनाशक नहीं है। लक्षणानुसार इलाज करें।

खाली डिब्बों का निपटारा

- 1 फफूंदनाशक निर्माताओं या उपयोग कर्ता का कर्तव्य है कि डिब्बों या पात्रों को तोड़फोड़कर आबादी से दूर जमीन में गाड़ देना चाहिए।
- 2 प्रयोग किये गये डिब्बों को दुबारा प्रयोग के लिए बाहर खुला न छोड़ें।
- 3 डिब्बों या बची हुई फफूंदनाशक या धोवन का निपटारा इस प्रकार करें कि जिससे आसपास की चीजें, पीने का पानी दूषित न हों।

संग्रहण की शर्तें

1. कीटनाशक के पैकेजों को अलग-अलग कमरों या जगहों में खाद्य पदार्थ रखे जाने वाले कमरों अथवा जगहों से अलग-अलग अलमारियों में ताला चाबी के अंदर रखा जाना चाहिये।
2. जिस जगह या कमरे में कीटनाशक का भंडारण करना हो वह अच्छी तरह बना हुआ, सूखा, हवादार, प्रकाशयुक्त, व पर्याप्त लम्बा चौड़ा होना चाहिये जिससे कि कीटनाशक के भाप प्रदूषण होने का डर न होने पायें।

रासायनिक संरचना

क्रमांक	घटक	विवरण	वज़न
1	डोडिन टैक्निकल:भारानुसार 98 %स.त. पर आधारित		65.50 % भार/भार
2	सस्पेंडिंग एजेन्ट:कोलायडल सिलिका		5.00 % भार/भार
3	वेटिंग एजेन्ट:एलकाइल एराइल सल्फोनेट टाइप		5.00 % भार/भार

4	कायोलिन		24.50 % भार/भार
		कुल	100 % w/w

निर्माता

अंग्रेजी मे लिखे अनुसार

उत्पादन परिसर

अंग्रेजी मे लिखे अनुसार